

Shell Advance 4T AX5 Scooter 15W-40 (MB)

Premium mineral 4 Stroke scooter engine oil

Shell Advance 4T AX5 Scooter is our conventional 4 stroke scooter engine oil. It is made up of premium mineral base oil and scooter-specific additive pack with Active Cleansing Technology.

The unique Active Cleansing Agent helps to cleanse and keep the scooter engine clean. A clean engine helps provide better engine efficiency, performance and protection.

Shell Advance 4T AX5 Scooter four-stroke scooter engine oil meets the requirements of most scooter manufacturers. Scooter is also commonly referred to as "Automatic gear bike" or "Scooter-matic".

DESIGNED TO MEET CHALLENGES

Performance, Features & Benefits

- · Keeps engine clean
- Reduces engine noise & vibration
- · Protects & prolongs engine life

Technology:

Shell Active Cleansing Technology helps prevent dirt particles sticking together to form deposits.

Main Applications



Standard air and water-cooled four stroke scooter engines with automatic transmission.

Shell Advance 4T AX5 scooter oil is suitable for use in all scooters fitted with an automatic transmission.

Specifications, Approvals & Recommendations

The product is available in different viscosity grades:

- SAE 10W-30, 15W-40
 - All the formulations exceed the following international specification:
- JASO MB

For a full listing of equipment approvals and recommendations, please consult your local Shell Technical Help Desk.

Typical Physical Characteristics

Properties			Method	Shell Advance 4T AX5 Scooter
SAE Viscosity grade				15W-40
Kinematic Viscosity	@40°C	cSt	ASTM D445	112.8
Kinematic Viscosity	@100°C	cSt	ASTM D445	14.36
Viscosity Index			ASTM D2270	135
Density	@15°C	kg/m³	ASTM D4052	870
Flash Point		°C	ASTM D92	230
Pour Point		°C	ASTM D97	-36

These characteristics are typical of current production. Whilst future production will conform to Shell's specification, variations in these characteristics may occur.

Health, Safety & Environment

· Health and Safety

Shell Advance 4T AX5 Scooter is unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.

Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water. Guidance on Health and Safety is available on the appropriate Material Safety Data Sheet, which can be obtained from www.epc.shell.com

• Protect the Environment

Take used oil to an authorised collection point. Do not discharge into drains, soil or water.

Additional Information

Advice

Advice on applications not covered here may be obtained from your Shell representative.